



LI-CHEN

BELT CONVEYOR
CATERPILLAR BAND CONVEYOR
PLASTIC BOARD CONVEYOR
DRAWER STORAGE SHELF



Introduction of the Characteristics of the Products
Supplied by Li-Chen Currently

BELT
CONVEYOR

It is suitable for carrying of smaller objects, whose weight preferably is within 60 kg. The adjustment of belt with three points is the Company's patent to make belt not appear in the bias. The diameter of belt is about 27mm-115mm, and the thickness of machine body is about 15mm-120mm. Meanwhile, the materials of belt surface are made of PVC and PU, which may prevent static electricity, with abrasion resistance and oil resistance. It has wider ranges of use.

Our models of this type are as follows:

**BBN (Plane) / BK (Goosehead) / BT (Fender) / BW (Gooseneck)
BZ (Goose) / BS (Super Thin) / BA (Intermediary) / BH (Workbench)**

CATERPILLAR
BALT
CONVEYOR

It is suitable for carrying of smaller objects, whose weight preferably is within 200 KG. And the materials are made of SUS304 or SS400 or AL which may resist high temperatures and oil. The caterpillar band uses the gear transmission, with good transmission performance and low rate of belt bias.

Our models of this type are as follows:

**ALN (Aluminum Steel Plane) / AN (Stainless Steel Plane) /
AK (Goosehead) / AT (Climbing) / AW (Gooseneck) / AZ (Goose)**

PLASTIC
PANEL
BELT
CONVEYOR

In the past, when using belt conveyor to carry heavier objects, that often caused negative phenomena such as belt bias, uneven surface of belt, and deviation of surface of belt. These situations may be gradually eliminated through the plastic panel belt, whose materials are made of PP, POM and PA-6. These materials may resist high temperatures with up to 250 degrees Celsius. And because the surface of belt is made of plastic steel, so it will not cause damages to objects.

Our models of this type are as follows:

**PN (Plane) / PT (Fender) / PW (Gooseneck) / PQ (Chainless)
PZ (Goose) / PH (Workbench)**

STORAGE
RACK
FOR
DRAWER

The storage rack is drawer type, which mainly uses crane hanger as a storage tool. Therefore, the use areas of walkway can be greatly reduced. And by taking advantage of support column technology of Lichen's patent, the panels can be easily pulled out to help saving efforts.

Our models of this type are as follows:

M1000 (1000kg) / M2000 (2000kg) / M3000 (3000kg)

◆The weight indicated above refers to the weight on a single layer

B BELT CONVEYOR

BNH

Belt Flat Overhead Style



BW

Belt Gooseneck Style



BT

Belt Baffle Style



BK

Belt Goosehead Style



BZ

Belt Goose Style



BN

Belt Flat Style



BSS

180mm Belt Super Thin Style



BHW

Working Bench Style



BHC

Belt Cutter Style



BH

Duct Style



BS

270mm Belt Super Thin Style



BTH

Belt Block Hopper



BW/W

Water Cooling Conveyor



LHG

Steel Plate Conveyor With Hopper





POWER CYLINDER

ROM

Power Roller Conveyor With Side Moving Cylinder



CPO

Curved Power Roller Conveyor



NRO

Non-Power Roller Conveyor



PRO

Power Roller Conveyor



NRB

Flexible Roller





CATERPILLAR BAND CONVEYOR

ALN

Aluminum Band Flat Overhead Style



AK

Caterpillar Band Goosehead Style

AN

Plane Surface Track Conveyor



ALN

Aluminum Band Flat Overhead Style



AZ

Caterpillar Band Goose Style



P

PLASTIC BOARD CONVEYOR


PNC

Plastic Net Conveyor



BOC

Bottle coding conveyor



PN

Plastic Chain Plane Style



PL

Bended Board Conveyor



M

DRAWER STORAGE SHELF

MT

Movable Arm Tube Rack



Hanged Arm Tube Rack Model

A1

Storage Rack

M-1000

Draw Shelf For Heavy Objects (Semi-Open Style)



M Model



M-2000 / M-3000

Draw Shelf For Heavy Objects (Open Style)



Professional · Innovative · Honest · Responsibility



麗晨企業廠有限公司
LI CHEN INDUSTRIAL CO., LTD.

429 台中市神岡區厚生路148-3號

No. 148-3, Houh Sheng Rd., Shen Kang, Taichung, 429, Taiwan, R.O.C.

TEL:886-4-25634997 FAX:886-4-22569456

<http://www.li-chen.com.tw> Email:lichenco@ms16.hinet.net

2014.10版